This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
	754	348/311	USPAT;	2004/10/25
			US-PGPUB;	14:10
			EPO; JPO;	
			DERWENT;	
	400	240 /212	IBM_TDB USPAT;	2004/10/25
- '	492	348/312	US-PGPUB;	14:10
ļ			EPO; JPO;	11.10
			DERWENT;	
			IBM TDB	all and a second a
_	1019	348/311 or 348/312	USPAT;	2004/10/25
İ			US-PGPUB;	14:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/10/25
-	824	(348/311 or 348/312) and ccd	USPAT;	2004/10/25 14:19
			US-PGPUB; EPO; JPO;	14:19
			DERWENT;	
		·	IBM TDB	
_ •	28	((348/311 or 348/312) and ccd) and buses	USPAT;	2004/10/25
	20	((515,511 01 515,511) and 550, 5111 2005	US-PGPUB;	14:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	1 1 1 1 = = 1 1 = 1	USPAT;	2004/10/25
		buses) and capacitors	US-PGPUB;	14:14
			EPO; JPO;	
			DERWENT;	
	0.0	and and bugger and canaditors	IBM_TDB USPAT;	2004/10/25
_	80	ccd and busses and capacitors	US-PGPUB;	14:15
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
	172	ccd and buses and capacitors	USPAT;	2004/10/25
			US-PGPUB;	14:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB USPAT;	2004/10/25
-	233	(ccd and busses and capacitors) or (ccd and buses and capacitors)	USPAT; US-PGPUB;	14:15
		and buses and capacitors)	EPO; JPO;	13.10
'			DERWENT;	
			IBM TDB	
_	36	((ccd and busses and capacitors) or (ccd	USPAT;	2004/10/25
		and buses and capacitors)) and clock adj	US-PGPUB;	14:22
1		driver	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	0004/20/05
-·	0		USPAT;	2004/10/25
		capatitor\$2 with Bus\$2	US-PGPUB;	14:20
	1		EPO; JPO; DERWENT;	
			IBM TDB	·
_	0	(348/311 or 348/312) and ccd with	USPAT;	2004/10/25
1		capatitor\$2	US-PGPUB;	14:20
ĺ		Capacitotta	EPO; JPO;	
			DERWENT;	,
	I .		IBM_TDB	
_	0	ccd with capatitor\$2	USPAT;	2004/10/25
			US-PGPUB;	14:20
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	0004/10/05
_	1055	ccd with capacitor\$2	USPAT;	2004/10/25
1			US-PGPUB;	14:20
			EPO; JPO;	
i	1	I	DERWENT;	İ
			IBM TDB	

_	3	ccd with capacitor\$2 with bus\$2	USPAT;	2004/10/25
			US-PGPUB; EPO; JPO;	14:20
			DERWENT;	
		·	IBM TDB	
	0	20030103155.URPN.	USPAT	2004/10/25
	_			14:22
_	169	clock adj driver with (ccd or image adj	USPAT;	2004/10/25
		sensor or image-sensor)	US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT; IBM TDB	
	47	(clock adj driver with (ccd or image adj	USPAT;	2004/10/25
-	1 3/	sensor or image-sensor)) and capacitor\$2	US-PGPUB;	14:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/10/25
-	41	((clock adj driver with (ccd or image adj	USPAT; US-PGPUB;	2004/10/25 14:24
*		sensor or image-sensor)) and capacitor\$2)	EPO; JPO;	14:24
		and switch\$3	DERWENT;	
			IBM TDB	}
_	11	(((clock adj driver with (ccd or image	USPĀT;	2004/10/25
		adj sensor or image-sensor)) and	US-PGPUB;	14:26
		capacitor\$2) and switch\$3) and bus\$3	EPO; JPO;	
			DERWENT;	
	_	image adj sensor adj clock adj driver	IBM_TDB USPAT;	2004/10/25
-	5	image adj sensor adj clock adj dliver	US-PGPUB;	14:28
			EPO; JPO;	
			DERWENT;	,
			IBM_TDB	/ /
-	1738783	image adj sensor near\$3 clock adj driver	USPAT;	2004/10/25
		,	US-PGPUB;	14:28
			EPO; JPO; DERWENT;	·
			IBM TDB	
1_	13	image adj sensor near3 clock adj driver	USPAT;	2004/10/25
			US-PGPUB;	14:47
			EPO; JPO;	
			DERWENT;	
	10777	(image adj sensor or image-sensor or ccd)	IBM_TDB USPAT;	2004/10/25
_	19777	and clock	US-PGPUB;	14:47
		and of ook	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/10/05
-	7777		USPAT;	2004/10/25
		ccd) and clock) and phase	US-PGPUB; EPO; JPO;	14:47
	-		DERWENT;	
•	1		IBM_TDB	'
_	2745		USPĀT;	2004/10/25
		ccd) and clock) and phase with two	US-PGPUB;	14:48
			EPO; JPO;	
			DERWENT; IBM TDB]
_	496	(((image adj sensor or image-sensor or	USPAT;	2004/10/25
	1 490	ccd) and clock) and phase with two) and	US-PGPUB;	14:48
		capacitors	EPO; JPO;	
			DERWENT;	
		111111111111111111111111111111111111111	IBM_TDB	2004/10/25
_	379	((((image adj sensor or image-sensor or ccd) and clock) and phase with two) and	USPAT; US-PGPUB;	2004/10/25
		capacitors) and shift	EPO; JPO;	43.30
		Capacitors, and shirt	DERWENT;	
			IBM_TDB	
-	275		USPAT;	2004/10/25
		ccd) and clock) and phase with two) and	US-PGPUB;	14:49
		capacitors) and shift adj register\$2	EPO; JPO;	
			DERWENT; IBM TDB	
1	1		1 + +DD	1

-	145	((((image adj sensor or image-sensor or	USPAT;	2004/10/25
		ccd) and clock) and phase with two) and	US-PGPUB;	14:49
		capacitors) and shift adj register\$2) and	EPO; JPO;	
		(two-phase or two adj phase)	DERWENT;	
			IBM_TDB	2004/10/25
-	57	(((((image adj sensor or image-sensor or	USPAT;	2004/10/25
		ccd) and clock) and phase with two) and	US-PGPUB;	14:49
		capacitors) and shift adj register\$2) and	EPO; JPO;	
		(two-phase or two adj phase) with shift	DERWENT;	
	-11	adj register\$2	IBM_TDB	2004/10/25
-	711	(two-phase or two adj phase) with shift	USPAT; US-PGPUB;	14:49
		adj register\$2	EPO; JPO;	14:49
		•	·	
			DERWENT;	
	0.50	(1) to the state of the state of the	IBM_TDB USPAT;	2004/10/25
-	262	((two-phase or two adj phase) with shift		14:50
		adj register\$2) and ccd	US-PGPUB;	14.50
			EPO; JPO; DERWENT;	
			IBM_TDB	2004/10/25
-	96	(((two-phase or two adj phase) with shift	USPAT;	14:50
		adj register\$2) and ccd) and capacitor\$2	US-PGPUB;	14.50
			EPO; JPO; DERWENT;	
1	!			
1		11116	IBM_TDB	2004/10/25
_	72	((((two-phase or two adj phase) with	USPAT; US-PGPUB;	15:11
		shift adj register\$2) and ccd) and	EPO; JPO;	13.11
		capacitor\$2) and switch\$3		
			DERWENT;	
			IBM_TDB	2004/10/25
-	1115	ccd adj (shift adj register or	USPAT;	15:15
		shift-register)	US-PGPUB;	12:12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/10/25
-	268	(ccd adj (shift adj register or	USPAT;	2004/10/25
	*	shift-register)) and capacitor\$2	US-PGPUB;	15:15
			EPO; JPO;	
			DERWENT;	
	_	14 1 14 1 15 1 15 1 15 1 15 1 15 1 15 1	IBM_TDB	2004/10/25
-	1		USPAT;	15:14
		shift-register)) and capacitor\$2) and	US-PGPUB; EPO; JPO;	13.14
		cross near3 capacitance		
			DERWENT; IBM TDB	
	100	//www.adi /abift adi mamintan an	USPAT;	2004/10/25
-	197			l
		shift-register)) and capacitor\$2) and	US-PGPUB; EPO; JPO;	15:15
		phas\$3	DERWENT;	
			IBM TDB	
	77	((ccd adj (shift adj register or	USPAT;	2004/10/25
_	''	((ccd ad) (shift ad) register of shift-register)) and capacitor\$2) and	US-PGPUB;	15:16
1		(2-phas\$3 or 348/312 adj phase or	EPO; JPO;	
		two-phase or two adj phase)	DERWENT;	1
		two phase of two adj phase,	IBM TDB	1
	2985	clock adj driver	USPAT;	2004/10/26
	2903	Ctock auj utivot	US-PGPUB;	11:44
			EPO; JPO;	
			DERWENT;	1
		·	IBM TDB	1
_	41151	(clock adj driver) and ccd or charge adj	USPAT;	2004/10/26
	41121	coupled adj device or charge-coupled	US-PGPUB;	11:45
	1	Coupled adj dotted of charge coupled	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1 -	404	(clock adj driver) and (ccd or charge adj	USPAT;	2004/10/26
		coupled adj device or charge-coupled)	US-PGPUB;	13:46
			EPO; JPO;	
			DERWENT;	-
	• [IBM TDB	
		<u> </u>		

-		156	((clock adj driver) and (ccd or charge adj coupled adj device or	USPAT; US-PGPUB;	2004/10/26 13:47
			charge-coupled)) and transistor\$2	EPO; JPO; DERWENT; IBM TDB	
1_		123	(((clock adj driver) and (ccd or charge	USPAT;	2004/10/26
	,	125	adj coupled adj device or charge charge-coupled)) and transistor\$2) and	US-PGPUB; EPO; JPO;	11:50
			((decrease or reduce) with energy or	DERWENT;	
			power)	IBM_TDB	
-		122	<pre>((((clock adj driver) and (ccd or charge adj coupled adj device or</pre>	USPAT; US-PGPUB;	2004/10/26 11:46
			charge-coupled)) and transistor\$2) and	EPO; JPO;	11.10
			((decrease or reduce) with energy or	DERWENT;	
_		87	<pre>power)) and voltage ((((clock adj driver) and (ccd or charge</pre>	IBM_TDB USPAT;	2004/10/26
		0 /	adj coupled adj device or	US-PGPUB;	11:47
	,		charge-coupled)) and transistor\$2) and	EPO; JPO;	
			((decrease or reduce) with energy or power)) and voltage) and switch\$2	DERWENT; IBM TDB	
-		34	(((((clock adj driver) and (ccd or	USPAT;	2004/10/26
			charge adj coupled adj device or	US-PGPUB;	11:49
			charge-coupled)) and transistor\$2) and ((decrease or reduce) with energy or	EPO; JPO; DERWENT;	
			power)) and voltage) and switch\$2) and	IBM_TDB	
		56086	buses	USPAT;	2004/10/26
		20000	eastman adj kodak .asn.	US-PGPUB;	11:50
				EPO; JPO;	
				DERWENT; IBM TDB	
_		1919	(eastman adj kodak .asn.) and ccd	USPAT;	2004/10/26
				US-PGPUB;	11:50
			·	EPO; JPO; DERWENT;	
	:			IBM_TDB	
-		1956	(eastman adj kodak .asn.) and ccd\$2	USPAT; US-PGPUB;	2004/10/26 11:50
				EPO; JPO;	
				DERWENT;	
_		177	((eastman ad) kodak .asn.) and ccd\$2) and	IBM_TDB USPAT;	2004/10/26
			transistor\$3	US-PGPUB;	11:50
-				EPO; JPO; DERWENT;	
				IBM_TDB	
-		96	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/26
			and transistor\$3) and ((decrease or reduce) with energy or power)	US-PGPUB; EPO; JPO;	11:50
				DERWENT;	
		34	((((eastman adj kodak .asn.) and ccd\$2)	IBM_TDB USPAT;	2004/10/26
		34	and transistor\$3) and ((decrease or	US-PGPUB;	11:51
			reduce) with energy or power)) and bus\$4	EPO; JPO;	
				DERWENT; IBM TDB	.
-		4	("4354123" "4949183" "5047660"	USPAT	2004/10/26
		14	"5237422").PN.	USPAT	11:57
-		14	("4117514" "4424456" "4514766" "4518978" "4602289" "4638361"	OSPAI	2004/10/26 12:09
			"4680636" "4707744" "4716317"	-	
			"4742395" "4761565" "4866299" "4935794" "5047660").PN.		
-		4	5237422.URPN.	USPAT	2004/10/26
			("4354123" "4040102" "5047660"	IIGDAM	12:57
		4	("4354123" "4949183" "5047660" "5237422").PN.	USPAT	2004/10/26 12:21
-		69	(((clock adj driver) and (ccd or charge	USPAT;	2004/10/26
			adj coupled adj device or charge-coupled) and transistor\$2) and	US-PGPUB; EPO; JPO;	12:42
			vertical	DERWENT;	
L				IBM TDB	

_	25	three with (level or voltage) with clock adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/26 12:42
_	151	(((clock adj driver) and (ccd or charge adj coupled adj device or	IBM_TDB USPAT; US-PGPUB;	2004/10/26 12:57
		charge-coupled)) and transistor\$2) and voltage	EPO; JPO; DERWENT; IBM TDB	
-	27	(((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage with (three or third)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 12:52
-	104	<pre>((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage) not ((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage with (three or third))</pre>	USPĀT	2004/10/26 13:01
_	10	((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage) not (((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage with (three or third))) and clock .ti.	USPAT	2004/10/26 12:58
-	94	<pre>(((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage) not ((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage with (three or third))) not (((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage) not ((((clock adj driver) and (ccd or charge adj coupled adj device or charge-coupled)) and transistor\$2) and voltage with (three or third))) and clock .ti.)</pre>	USPAT	2004/10/26 13:01
	5	("3758794" "3955100" "4093872" "4178519" "4264915").PN. 4554675.URPN.	USPAT USPAT	2004/10/26 13:21 2004/10/26
-	127	charge adj coupled adj shift adj register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	13:23 2004/10/26 13:24
_	73	(charge adj coupled adj shift adj register) and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 13:25
_	60	register) and clock) and phas\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:25
-	31493	V1 with V2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 13:46

_	1298	(V1 with V2) and (ccd or charge adj	USPAT;	2004/10/26
		coupled adj device or charge-coupled)	US-PGPUB;	13:46
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	500	((V1 with V2) and (ccd or charge adj	USPAT;	2004/10/26
		coupled adj device or charge-coupled))	US-PGPUB;	13:46
		and phase\$2	EPO; JPO;	
		•	DERWENT;	
			IBM TDB	
_	261	(((V1 with V2) and (ccd or charge adj	USPAT;	2004/10/26
		coupled adj device or charge-coupled))	US-PGPUB;	13:47
		and phase\$2) and clock	EPO; JPO;	
			DERWENT;	ļ
			IBM TDB	
_	100	((((V1 with V2) and (ccd or charge adj	USPAT;	2004/10/26
		coupled adj device or charge-coupled))	US-PGPUB;	13:52
		and phase \$2) and clock) and transistor \$2	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	14	(((((V1 with V2) and (ccd or charge adj	USPĀT;	2004/10/26
		coupled adj device or charge-coupled))	US-PGPUB;	13:48
		and phase\$2) and clock) and transistor\$2)	EPO; JPO;	
		and clock adj driver	DERWENT;	
			IBM_TDB	
_	60	(((((V1 with V2) and (ccd or charge adj	USPAT;	2004/10/26
		coupled adj device or charge-coupled))	US-PGPUB;	13:52
		and phase\$2) and clock) and transistor\$2)	EPO; JPO;	
		and transfer\$5 with charge	DERWENT;	•
			IBM_TDB	
-	1	"3902186".PN.	USPAT	2004/10/26
				14:07
-	4	4443885.URPN.	USPAT	2004/10/26
				14:07